ELSEVIER

Nuclear Instruments and Methods in Physics Research A 353 (1994) ix–xvii

NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH Section A

Contents

Preface vii
The Symposium Committee viii

Section I. Sources

High intensity accelerator for a wide range of applications
E.M. Conard 1
X-ray irradiation system for a sterilization application
Y. Hoshi, I. Sakamoto, M. Takehisa, T. Sato, S. Tanaka and T. Agematsu 6
Comparison of experimental and theoretical L X-ray emission probabilities of ^{241}Am, ^{239}Pu and ^{240}Pu
M.C. Lépy, B. Duchemin and J. Morel 10
Fabrication of ^{58}Co positron sources
R.S. Vallery, P.A. Encarnación, W.E. Frieze, D.W. Gidley, H.C. Griffin, M. Ludington and M. Skalsey 16

Section II. Detectors

IIa. Scintillation detectors

Measurement of fluorescence phenomena from yttrium and gadolinium fluors using a 45 MeV proton beam
W.A. Hollerman, J.H. Fisher, L.R. Holland, G.M. Jenkins, D.B. Nisen, E.K. Williams and C.C. Foster 20
Fast γ-ray coincidence timing using a BGO detector array in a nuclear reaction experiment
T.N. Annakkage, J. Jänecke, K. Pham, D.A. Roberts, G.P.A. Berg and J.S. Winfield 24
Alpha/beta(gamma ray) discrimination and spillover quantification with a BaF_2 scintillator
T.A. DeVol and R.A. Fjeld 28
Suppression of the slow component of BaF_2 crystal by introduction of SrF_2 and MgF_2 crystals
M.M. Hamada, Y. Nunoya, S. Sakuragui and S. Kubota 33
Design of a Compton spectrometer experiment for studying scintillator non-linearity and intrinsic energy resolution
J.D. Valentine and B.D. Rooney 37
COCO, a Compton coincidence experiment to study liquid scintillator response in the 1–20 keV energy range
M.N. Péron and P. Cassette 41
Pulse shape analysis of signals from a CsI(Tl)/photodiode detector
A.J. Bird, T. Carter, Z. He, A.J. Dean and D. Ramsden 46
The use of HgI_2 photodetectors combined with scintillators for gamma-ray spectroscopy
Y.J. Wang, B.E. Patt and J.S. Iwanczyk 50
First observation of the scintillation light from solid Xe, Kr and Ar with a CsI photocathode
E. Aprile, A. Bolotnikov, D. Chen, F. Xu and V. Peskov 55

IIb. Semiconductor detectors

High resolution CdTe detector systems
R. Redus, M. Squillante, J. Lund, L. Cirignano, P. Waer, J. Pantazis and A. Huber 59
Correction of incomplete charge collection in CdTe detectors
Y. Eisen and Y. Horovitz 60

0168-9002/94/$07.00 © 1994 Elsevier Science B.V. All rights reserved

Detection mechanisms employing single event upsets in dynamic random access memories used as radiation sensors
D.G. Darambara and N.M. Spyrou 67

The generation of the response matrix of hemispherical CdTe detectors
R. Alt, P. Ambrosi, J. Böhm, G. Hilgers, M. Jordan and K.-H. Ritzenhoff 71

Analysis of the pulse shapes obtained from single crystal $Cd_{0.9}Zn_{0.1}Te$ radiation detectors
R. Hess, P. DeAntonis, E.J. Morton and W.B. Gilboy 76

Computer simulation of charge trapping and ballistic deficit effects on gamma-ray spectra from CdTe semiconductor detectors
M.G. Scannavini, P. Chirco, G. Baldazzi, G. Guidi, E. Querzola, P. Partemi, M. Rossi, M. Zanarini, F. Casali and E. Caroli 80

Electronic noise in lead iodide X-ray detectors
K.S. Shah, J.C. Lund, F. Olschner, P. Bennett, J. Zhang, L.P. Moy and M.R. Squillante 85

Surface passivated Si(Li) detectors for an X-ray detector array
M. Jantunen and S.A. Audet 89

Electric field strength in a silicon surface barrier detector with the presence of a dielectric plasma column
I. Kanno 93

Characteristics of a silicon detector for industrial X-ray computed tomography
H. Miyai, H. Kitaguchi, S. Kawasaki and S. Izumi 97

Efficiency determination of a Ge(HP) detector from 6 to 25 keV
P.N. Johnston and P.A. Burns 101

High accuracy determination of the shape of the efficiency curve of the HPGe detector in the energy range 900 to 1300 keV
A.I. Hawari and R.F. Fleming 106

PASS, an extended-range Ge spectrometer for radionuclide analysis via L X-, γ-ray spectrometry
R.J. Gehrke, K.D. Watts, E.W. Killian, M.H. Putnam and R.G. Helmer 109

IIc. Neutron and tomographic detectors

Scintillating-glass-fiber neutron sensors
K.H. Abel, R.J. Arthur, M. Bliss, D.W. Brite, R.L. Brodzinski, R.A. Craig, B.D. Geelhood, D.S. Goldman, J.W. Griffin, R.W. Perkins, P.L. Reeder, W.R. Richey, K.A. Stahl, D.S. Sunberg, R.A. Warner, N.A. Wogman and M.J. Weber 114

A directional fast neutron detector using scintillating fibers and an intensified CCD camera system
D. Holslin, A.W. Armstrong, W. Hagan, D. Shreve and S. Smith 118

The use of large area silicon sensors for thermal neutron detection
R.L. Schulte, F. Swanson and M. Kesselman 123

Neutron radiography using a transportable superconducting cyclotron
D.A. Allen, M.R. Hawkesworth, T.D. Beynon, S. Green, J.D. Rogers, M.J. Allen, H.C. Plummer, N.J. Boulding, M. Cox and I. McDougall 128

Thin GSO scintillator for neutron detection
P.L. Reeder 134

Neutron focusing system for the Texas Cold Neutron Source
B.W. Wehring, J.-Y. Kim and K. Ünlü 137

The measurement and calculation of the correlated neutron production rate from $^{241}AmO_2$/Be (α, n) sources
S. Croft and P.B. Sharp 141

A comparative study of tomographies using gamma rays and neutrons in nondestructive testing
R.T. Lopes and W.W. Pereira 142

A neutron tomographic system developed at the Rome research reactor
P. Chirco, P. Partemi, M. Zanarini, G. Baldazzi, G. Guidi, E. Querzola, M. Rossi, M.G. Scannavini, F. Casali, A. Garagnani, R. Rosa and A. Festinesi 145

Water diffusion profile measurements in epoxy using neutron radiography
J.T. Lindsay, M. Matsubayashi and Md.N. Islam 149
Neutron spectrometry using a ^{3}He gas ionization chamber
T. Iguchi, N. Nakayamada, H. Takahashi and M. Nakazawa 152
Response function measurement of a deuterated scintillator using a ^{241}Am–Be source
A.A. Naqvi, M.A. Al-Ohali, M.M. Nagadi and A. Bari 156
Temperature dependence of BF_3 proportional counters
S. Sakamoto and A. Morioka 160
Digital signal processing for ^{3}He proportional counters
H. Takahashi, J. Kawarabayashi, T. Kurahashi, T. Iguchi and M. Nakazawa 164

IId. Other detectors

Recent results with microstrip gas chambers
P. Geltenbort 168
The challenge of new detector capabilities for the Relativistic Heavy Ion Collider
M. Kaplan and STAR Collaboration 169
New array type electron multiplier as a two dimensional position sensitive detector
J. Kawarabayashi, H. Takahashi, T. Iguchi, M. Nakazawa, A. Takahashi and R. Tokue 172
Radiation detection performance of very high gain avalanche photodiodes
R. Farrell, K. Vanderpuye, L. Cirignano, M.R. Squillante and G. Entine 176
A multi-anode proportional counter
T. Kniss, W. Pulley and C. Johnson 180
Gaseous detectors of ultraviolet and visible photons
V. Peskov, A. Borovik-Romanov, T. Sokolova and E. Silin 184
PET detector modules based on novel detector technologies
W.W. Moses, S.E. Derenzo and T.F. Budinger 189
The performance of a compact gas proportional scintillation counter for hard X-ray spectrometry
J.M.F. dos Santos, J.F.C.A. Veloso, R.E. Morgado and C.A.N. Conde 195

Section III. Information processing

Multiplexed readout electronics for imaging spectroscopy of high-energy X-ray and gamma photons
F.L. Augustine 201
Deficiencies in oxygen, carbon and chlorine (n, n′γ) cross sections and their impact on nuclear based inspection systems
J. Bendahan, R. Loveman and T. Gozani 205
Determination of "anomalous" elastic-scattering of γ-rays of energies close to K shell binding thresholds
G. Basavaraju and P.P. Kane 209
A 4π charged-particle detector array for light-ion-induced nuclear fragmentation studies
K. Kwiatkowski, A. Alexander, D.S. Bracken, J. Brzychczyk, J. Dorsett, R. Ensman, E. Renshaw Foxford, T. Hamilton, K. Komisarcik, K.N. McDonald, K.B. Morley, J. Poehlman, C. Powell, V.E. Viola, N.R. Yoder, J. Ottarson and N. Madden 212
A mass separator using a large solenoid "lens" with time-of-flight and position sensitive detectors
T.W. O'Donnell, E. Aldredge, F.D. Becchetti, J.A. Brown, P. Conlan, J. Jänecke, R.S. Raymond, D.A. Roberts, R.S. Tickle, H.C. Griffin and R.M. Ronningen 215
Measurement of ^{90}Sr activity with Cherenkov radiation in a silica aerogel
D. Brajnik, S. Korpar, G. Medin, M. Starič and A. Stanovnik 217
Beta-decay intensity distributions for the fission products ^{139}Cs and ^{140}Cs measured with a total absorption γ-ray spectrometer
R.G. Helmer, R.C. Greenwood, M.H. Putnam and K.D. Watts 222

Gamma-ray emission probability measurement by a two-dimensional $4\pi\beta-\gamma$ coincidence system
H. Miyahara, H. Matumoto, G. Wurdiyanto, K. Yanagida, Y. Takenaka, A. Yoshida and C. Mori ... 229

Test and performance of a BGO Compton-suppression shield for GAMMASPHERE
M.P. Carpenter, T.L. Khoo, I. Ahmad, R.V.F. Janssens, T. Lauritsen, G.A. Annan, A.M. Baxter, M.E. Bleich, S. Harfenist, E.F. Moore, M. Torelli and D.W. Visser ... 234

Investigation of cryogenic charge sensitive amplifier structures for improved spectrometer bandwidth and noise performance
J. Anderson and J. Howard ... 239

Design considerations for MOS pixel for single-sided two-dimensional detector
S. Avrillon, H. Ikeda, T. Matsuda, Y. Saitoh and M. Inoue ... 243

Reduction of digital errors of digital charge division type position-sensitive detectors
A. Uritani, K. Yoshimura, Y. Takenaka and C. Mori ... 246

Radiation spectroscopy by digital pulse height analysis
J.M. Los Arcos, E. García-Toraño, P. Olmos and J. Marín ... 251

Utilization of a GaGe CompuScope 1012 computer-based oscilloscope for pulse shape discrimination and radiation spectroscopy
W.H. Miller, P. Jackson and C. Lin ... 254

An optimum digital signal processing for radiation spectroscopy
G. Bertuccio, A. Fazzi, A. Geraci and M. Sampietro ... 257

Digital techniques for real-time pulse shaping in radiation measurements
V.T. Jordanov, G.F. Knoll, A.C. Huber and J.A. Pantazis ... 261

Stand-alone PC-based fast readout electronics and software for 2D-gaseous detectors
V. Popov, S. Hirschhorn, A. Roich and I. Frumkin ... 265

Section IV. Spectrum analysis

The holistic analysis of gamma-ray spectra in instrumental neutron activation analysis
M. Blaauw ... 269

Deconvolution of nuclear spectra of low counts
L. Méray ... 272

Investigation of pulse height spectra obtained by linearizing the nonlinearities of measuring electronics
K. Kudo, N. Takeda, A. Fukuda, K. Sakihara and Y.-C. Yoon ... 276

Fast-Fourier-transform spectral enhancement techniques for γ-ray spectroscopy
C.V. Hampton, B. Lian and Wm.C. McHarris ... 280

Gamma-ray spectrometry with a Ge detector: an importance of instrument function on a new energy calibration method
T. Kishikawa, K. Nishimura and S. Noguchi ... 285

Evaluation and measurement of the experimental gamma-ray peak broadenings and recovery times in a gain stabilized system
D. O'Connor, G. Knoll and R. Ziff ... 291

Extracting energies and intensities from complex coincidence matrices
M.G. Chemaly and H.C. Griffin ... 296

Section V. Imaging

Porous silicon: X-rays sensitivity
J.-L. Gerstenmayer, P. Vibert, P. Mercier, C. Rayer, M. Hyvernage, R. Herino and A. Bsiesy ... 299

Secondary electron emission gaseous detectors for fast X-ray imaging
A. Breskin, R. Chechik, A. Gibrekhterman, I. Frumkin, L. Levinson, A. Notea and B. Weingarten ... 302

Development of X-ray mini-probes for the Digiray RGX system
R. Wojcik, B. Kross, L. Majewski, S. Majewski, A.G. Weisenberger, C. Zorn, E.A. Birt, F.R. Parker, W.P. Winfree, R.D. Albert and T.M. Albert ... 307

Microfocus X-ray sources for 3D microtomography
M.J. Flynn, S.M. Hames, D.A. Reimann and S.J. Wilderman 312
Performance demonstration by ROC method
H. Wessel, C. Nockemann, G.-R. Tillack and A. Mattis 316
A solid-state Compton camera for three-dimensional imaging
S.E. King, G.W. Phillips, P.S. Haskins, J.E. McKisson, R.B. Piercey and R.C. Mania 320
A combined video and gamma ray imaging system for robots in nuclear environments
R. Redus, M. Squillante, J. Gordon, G. Knoll and D. Wehe 324
A high energy gamma camera using a multiple hole collimator and PSPMT
S.V. Guru, Z. He, J.C. Ferreria, D.K. Wehe and G.F. Knoll 328
A high speed Compton scatter pipe wall imaging system
X. Xu, R. Gould, S. Khan, E.H. Klevans and E.S. Kenney 334
Microfocus radiography producing microtomography
J.T. De Assis, R.T. Lopes and J.L. Rodrigues 338
Background-adaptive dual-energy-window correction for Compton scattering in SPECT
J.-q. Luo and K.F. Koral 340
Four-dimensional image display for associated particle imaging
G. Headley, A. Beyerle, R. Durkee, P. Hurley and L. Tunnell 344
A constrained dual-energy reconstruction method for material-selective transmission tomography
N.H. Clinthorne 347
Development of CdZnTe energy selective arrays for industrial and medical radiation imaging
R. Polichar, R. Schirato and J. Reed 349
Pixellated CdZnTe detector arrays
F.P. Doty, H.B. Barber, F.L. Augustine, J.F. Butler, B.A. Apotovsky, E.T. Young and W. Hamilton . 356
Semiconductor arrays with multiplexer readout for gamma-ray imaging: results for a 48×48 Ge array
H.B. Barber, F.L. Augustine, H.H. Barrett, E.L. Dereniak, K.L. Matherson, T.J. Meyers, D.L. Perry, J.E. Venzon, J.M. Woolfenden and E.T. Young 361
Silicon X-ray detector for synchrotron radiation digital radiology
F. Arfelli, G. Barbiellini, G. Cantatore, E. Castelli, P. Cristaudo, L. Dalla Palma, M. Di Michiel, R. Longo, P. Poropat, R. Rosei, M. Sessa, F. Tomasini, G. Tromba and A. Vacchi 366
Measurement of the radioactivity distribution of material surfaces with an imaging plate
C. Mori, T. Suzuki, S. Koido, H. Miyahara, A. Uritani, T. Aoyama and K. Nishizawa 371
Pixellated CsI(Tl) arrays with position-sensitive PMT readout
A. Truman, A.J. Bird, D. Ramsden and Z. He 375
Correction of distortions in a discontinuous image
M.J. Geagan, B.B. Chase and G. Muehllehner 379

Section VI. Facilities

Linearly polarized photons from Compton backscattering of laser light for nuclear resonance fluorescence experiments
H. Ohgaki, T. Noguchi, S. Sugiyama, T. Yamazaki, T. Mikado, M. Chiwaki, K. Yamada, R. Suzuki and N. Sei 384
Automated system for neutron activation analysis determination of short lived isotopes at The DOW Chemical Company's TRIGA research reactor
J.J. Zieman, W.L. Rigot, J.D. Romick, T.J. Quinn and C.W. Kocher 389
Automation of the γ-ray spectroscopy counting system at the Dow Chemical Company Analytical Sciences Laboratory
J.D. Romick, W.L. Rigot, P.L. Morabito, T.J. Quinn, C.W. Kocher and D.J. Duke 393
The University of Texas Cold Neutron Source
K. Ünlü, C. Ríos-Martínez and B.W. Wehring 397
Neutron depth profiling at the University of Texas
K. Ünlü and B.W. Wehring 402

Section VII. Dosimetry

A system for 3-D absorbed dose measurements with tissue-equivalence for thermal neutrons
G. Gambarini, S. Arrigoni, M. Bonardi, M.C. Cantone, D. deBartolo, S. Desiati, L. Facchielli and A.E. Sichirollo 406
Thermoluminescent characteristics of new pre-calibrated dosimeters (TLD) in commercially available readers for selected applications
R.A. Tawil, P. Pontikos, A. Szalanczy, K. Velbeck, W. Bruml and J.E. Rotunda 411
Impact of variations in physical parameters on glow curves for planchet heating of TL dosimeters
E. Samei, K.J. Kearfott, C-K.C. Wang and S. Han 415
Development and evaluation of a neutron–gamma mixed-field dosimetry system based on a single thermoluminescence dosimeter
K.R. Herminghuysen and T.E. Blue 420
Characterizing gamma fields using isomeric activation ratios
R. Venkataraman and R.F. Fleming 425
Grain size dependence of lyoluminescence sensitivity in mannose
F.A. Balogun, C.A. Adesanmi and J.B. Olomo 429
A beta skin dose monitor using an Eberline RO-2 ion chamber
W.A. Jester, S.H. Levine, T.J. Lin and R. Hock 432

Section VIII. Applications

VIIIa. Biomedical applications

A comparison of the techniques of PIXE, PIGE and INAA by reference to the elemental analysis of porcine brain samples
J.D. Stedman and N.M. Spyrou 436
Proton nuclear activation in stable tracer technique for ruthenium metabolism studies
M.C. Cantone, D. de Bartolo, G. Gambarini, A. Giussani, A. Ottolenghi, L. Pirola, Ch. Hansen, P. Roth and E. Werner 440
Choice of detectors for in vivo elemental analysis by counting natural and neutron-induced gamma rays for medical applications
J.J. Kehayias, H. Zhuang, L. Dowling, R. Ma and R. Moore 444
Portable gamma spectrometry system for simultaneous monitoring of radiotracers in vivo using CdTe and CdZnTe radiation detector probes
M. Lorenz, J. Van Ryn, H. Merk, M. Markert and W.G. Eisert 448
Characteristics of miniature CsI photodiode detectors for gamma ray and their clinical applications
M.Q. Makino, K. Kawakami, K. Kanaya, S. Kanaya, S. Tange and K. Kusakabe 453
The analysis of human nails for 24 elements via k_0 and cyclic neutron activation analysis
T.-p. Cheng, J.S. Morris, S.R. Koirtyohann, V.L. Spate and C.K. Baskett 457
Feasibility of utilization of microorganism in monitoring gamma-ray dose
Y.H. Chung 461
Photonuclear reaction yield ratios in tissues used as an index of abnormality
O. Assatel and N.M. Spyrou 464
The effects of surface roughness and tilt upon the quantification of elemental distributions across thick biological sections by proton induced X-ray emission analysis
A.C. Beach and N.M. Spyrou 468

VIIIb. Environmental applications

Environmental radiation monitoring technology: capabilities and needs
K.J. Hofstetter 472
Real-time, in situ detection of ^{90}Sr and ^{238}U in soils via scintillating-fiber-sensor technology
A.J. Schilk, M.A. Knopf, R.C. Thompson, C.W. Hubbard, K.H. Abel, D.R. Edwards and J.R. Abraham 477

A gamma-ray detector for in-situ measurement of ^{137}Cs radioactivity in snowfields and glaciers
P.P. Dunphy, J.E. Dibb and E.L. Chupp 482
Long-range alpha detector sample monitoring
J.D. Johnson, K.S. Allander, J.A. Bounds, S.E. Garner, J.P. Johnson, D.W. MacArthur, L.L. Sprouse and S.G. Walters 486
Complete characterization of containerized waste using a PFNA-based inspection system
E.A. Pentaleri and T. Gozani 489
Real-time aqueous tritium monitor using liquid scintillation counting
R.A. Sigg, J.E. McCarty, R.R. Livingston and M.A. Sanders 494
Characterization of pollutants around tin mining and smelting operations using EDXRF
A.F. Oluwole, O. Ajayi, J.O. Ojo, F.A. Balogun, I.B. Obioh, J.A. Adejumo, O.J. Ogunsola, A. Adepetu, H.B. Olaniyi and O.I. Asubiojo 499
Performance and promise of the Compton suppression well counter
G. Harbottle and J.B. Cumming 503
Utilization of a BGO detector as an active oxygen target
R. Loveman, T. Gozani, J. Bendahan, J. Krivicich, E. Elias and E. Altschuler 508
In situ radiological characterization to support a test excavation at a liquid waste disposal site
B.D. Keele, R.G. Bauer, G.R. Blewett and G.L. Troyer 512
Efficiency of the Lucas scintillation cell
T.M. Semkow, P.P. Parekh, C.D. Schwenker, R. Dansereau and J.S. Webber 515
A sensitive effluent method for measuring radon gas emanation from low-emanating materials
K.K. Nielson and V.C. Rogers 519
Use of superheated liquid dispersion technique for measuring alpha-emitting actinides in environmental samples
C.K. Wang, W. Lim and L.K. Pan 524
Modern, PC based, high resolution portable EDXRF analyzer offers laboratory performance for field, in-situ analysis of environmental contaminants
S. Piorek 528
Measurement of actinides in environmental samples by photon-electron rejecting alpha liquid scintillation
J.R. Cadieux, S. Clark, R.A. Fjeld, S. Reboul and A. Sowder 534
True-coincidence correction for field gamma-ray spectrometry in auger hole counting geometry
F. De Corte, A. De Wispelaere, L. Vancraeynest, P. De Neve and P. Van den haute 539
Determination of elemental composition of TSP from cement industries in Nigeria using EDXRF technique
F.A. Akeredolu, H.B. Olaniyi, J.A. Adejumo, I.B. Obioh, O.J. Ogunsola, O.I. Asubiojo and A.F. Oluwole 542
Tracer experiments in a research tunnel of a repository for low- and medium-active nuclear waste
P. Viitanen 546
An on-line water contamination monitoring system
K.H. Yeung, H.Y. Mok and H.K. Lam 550
Distribution of gamma-emitting natural radionuclides in soils and water around nuclear research establishments, Ile-Ife, Nigeria
J.B. Olomo, M.K. Akinloye and F.A. Balogun 553
Elemental analysis using natural gamma-ray spectroscopy
A. Aksoy, A.A. Naqvi, F.Z. Khiari, F. Abujarad, M. Al-Ohali and M. Sumani 558

VIIIc. Materials analysis

Atom counting of long-lived radionuclides
W. Kutschera 562
Mass and energy dispersive recoil spectrometry of MOCVD grown $Al_xGa_{1-x}As$
S.R. Walker, P.N. Johnston, I.F. Bubb, W.B. Stannard, D.D. Cohen, N. Dytlewski, M. Hult, H.J. Whitlow, C. Zaring, M. Östling and M. Andersson 563

Density and composition analysis using focused MeV ion microbeam techniques
A.J. Antolak, G.S. Bench, A.E. Pontau, D.H. Morse, D.W. Heikkinen and D.L. Weirup 568
RBS: an analytical technique for elemental characterization of standards; advantages and limits of application
A. Climent-Font, M.T. Fernández-Jiménez, U. Wätjen and J. Perrière 575
A model of the intrinsic efficiency of a time-of-flight spectrometer for keV ions
R.A. Weller, J.H. Arps, D. Pedersen and M.H. Mendenhall 579
Radioactive ion implantation for wear studies
Wm.C. McHarris, R.M. Ronningen, H.J. Schock, R. Schalek and D.S. Grummon 583
A position sensitive β–γ coincidence technique for multiplexed gamma spectrometry of many small samples
Y.K. Dewaraja, Z. He, R.F. Fleming, D.K. Wehe, S.V. Guru, J.C. Ferreira and R.H. Fleming 588
Carbon analysis in MOCVD grown HgCdMnTe by charged particle activation
W.B. Stannard, S.R. Walker, P.N. Johnston and I.F. Bubb 593
Characterization of thin films for biomaterial applications using PIXE and RBS
Y. Tsuboi, T. Albrektsson, L. Sennerby, C. Johansson and A.M. Ektessabi 597
Determination of silicon in biological and botanical reference materials by epithermal INAA and Compton suppression
S. Landsberger, S. Peshev and D.A. Becker 601
Neutron activation analysis of aluminum in Mg_2SiO_4
J.L. Mass, J.M. Burlitch, S.C. McGuire, T.Z. Hossain and R. Demiralp 606
A highly sensitive method for rare-earth element analysis using ionoluminescence combined with PIXE
N.P.-O. Homman, C. Yang and K.G. Malmqvist 610
Cross sections for stimulated transitions of gamma quanta applications
P.S. Kamenov, A. Petrakiev and A. Apostolov 615
Heavy ion microprobe for PIXE analysis of iron
Y. Horino, Y. Mokuno, A. Kinomura, A. Chayahara and K. Fujii 619
Simultaneous Mössbauer experiments and gamma laser emission
P.S. Kamenov, A.P. Petrakiev and A. Apostolov 623
Transport time of volatile and nonvolatile fission products in a gas jet
N. Davis, E.T. Contis, K. Rengan and H.C. Griffin 627
Chemical reactions of fission products with ethylene using the gas jet technique
E.T. Contis, K. Rengan and H.C. Griffin 631

VIIId. Nondestructive examination

Novel applications of fast neutron interrogation methods
T. Gozani 635
Technical updates from the TNA operations program
W. Lee, J. Bendahan, P. Shea and V. Leung 641
Illicit substance detection using fast-neutron transmission spectroscopy
B.J. Micklich, M.K. Harper, A.H. Novick and D.L. Smith 646
Applications of Rayleigh scattered photons to substance identification
R.D. Luggar and W.B. Gilboy 650
The non-destructive investigation on medieval iron-based weapons
C. Segebade 654
A pattern-deviation photon scanning technique for precise measurement of internal component locations
W.L. Dunn, M.H. van Haaren and A.M. Yacout 658
A Compton-scatter spectrometry technique for flaw detection
S.K. Mullin and E.M.A. Hussein 663
Non-destructive analysis of uranium and/or plutonium using X-ray (K or L band) fluorescence excited by sealed sources or X-ray tubes
J.L. Szabo, A.C. Simon and R. Junca 668

Three dimensional imaging of a molten-salt-extracted plutonium button using both active and passive gamma-ray computed tomography
T.F. Wang, H.E. Martz, G.P. Roberson, E.A. Henry, W.D. Ruhter and L.O. Hester 672

Monte Carlo simulation of plutonium gamma-ray standards
T.F. Wang, J.B. Carlson, Z.M. Koenig, W.D. Ruhter, T.S.H. Lee and J. Winn 678

Characterisation of the Harwell model N93 versatile passive neutron monitor
B.H. Armitage, P.M.J. Chard, S. Croft, K.P. Lambert and D.J. Lloyd 683

Application of pulsed fast neutrons analysis to cargo inspection
D.R. Brown, T. Gozani, R. Loveman, J. Bendahan, P. Ryge, J. Stevenson, F. Liu and M. Sivakumar . 684

Performance evaluation tools for nuclear based interrogation techniques – an application of the PFNA technique
R.L. Feinstein, D.A. Keeley and J. Bendahan 689

Accurate hydrogen determination with a dual nuclear gauge
E. Elias and T. Gozani 691

Nonintrusive measurement of transient flow boiling in rod-bundle channels using fast-neutron scattering
P. Han, E.M.A. Hussein, P.J. Ingham and R.M. Henschell 695

Measurement and analysis of the line shape of prompt γ-rays from recoiling ^{7}Li produced in the ^{10}B(n, α)^{7}Li reaction
Y. Sakai, C. Yonezawa, M. Magara, H. Sawahata and Y. Ito 699

Development of self-absorption coefficients for the determination of gamma-emitting radionuclides in environmental and mixed waste samples
W.E. Streets 702

An expert system for the conception of industrial gauges based on beta, gamma or X-rays transmission (JANU)
F. Tola 706

VIIIe. Treaty verification

Applications of radiation measurements in arms control and nonproliferation
D. Leich, K. Reinitz, S. Barnette, M. O'Connell and K. Sheely 710

Treaty verification with "passive neutron signatures"
R.A. August, G.W. Phillips, S.E. King and J.H. Cutchin 712

Application of cadmium–zinc–telluride detectors in ^{235}U enrichment measurements
W.D. Ruhter and R. Gunnink 716

Author index 719